

**Table 1.A. - Preliminary Cod Landings by Stock Area**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		2005/2006*		2004/2005*		Fishing Year* Landings
							May05-Jun05 as a % of Target TAC	Target TAC+	May04-Jun04 as a % of Target TAC	Target TAC	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		Metric Tons		Metric Tons	
<b>GULF OF MAINE</b>	<b>45</b>	<b>14%</b>	<b>564</b>	<b>65%</b>	<b>610</b>	<b>51%</b>	<b>10%</b>	<b>6,372</b>	<b>10%</b>	<b>4,850</b>	
OTTER TRAWL	33	10%	351	40%	384	32%	6%		5%		
GILLNET	7	2%	208	24%	215	18%	3%		5%		
HOOK	1	0%	0	0%	1	0%	0%		0%		
OTHER GEARS	4	1%	5	1%	9	1%	0%		0%		
<b>GEORGES BANK</b>	<b>281</b>	<b>86%</b>	<b>310</b>	<b>35%</b>	<b>590</b>	<b>49%</b>	<b>14%</b>	<b>4,090</b>	<b>20%</b>	<b>2,949</b>	
OTTER TRAWL	245	75%	271	31%	516	43%	13%		17%		
GILLNET	13	4%	25	3%	38	3%	1%		2%		
HOOK	21	6%	7	1%	28	2%	1%		0%		
OTHER GEARS	2	1%	6	1%	8	1%	0%		2%		
<b>ALL AREAS</b>	<b>326</b>	<b>100%</b>	<b>874</b>	<b>100%</b>	<b>1,200</b>	<b>100%</b>	<b>11%</b>	<b>10,462</b>	<b>14%</b>	<b>7,799</b>	
OTTER TRAWL	278	85%	622	71%	900	75%	9%		9%		
GILLNET	20	6%	233	27%	253	21%	2%		4%		
HOOK	23	7%	7	1%	29	2%	0%		0%		
OTHER GEARS	5	2%	12	1%	17	1%	0%		1%		
<b>LANDINGS - ALL AREAS</b>											
Fishing Year 2005/2006	326		874		1,200						
Fishing Year 2004/2005	375		726		1,101						6,667
Fishing Year 2003/2004	568		1,350		1,917						8,443
Fishing Year 2002/2003	913		1,343		2,256						11,488
Fishing Year 2001/2002	1,238		2,077		3,315						16,107
Fishing Year 2000/2001	1,140		1,750		2,890						12,676
Fishing Year 1999/2000	1,760		1,064		2,824						9,672
Fishing Year 1998/1999	1,754		1,266		3,019						10,751

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY05 is 4,830 metric tons (10,648 thousand lbs.)

**Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2005 - Jun 2005**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	132	105	79%	27	21%	72	54%	60	46%	0	0%	0	0%
Gloucester, MA	330	276	84%	53	16%	254	77%	73	22%	1	0%	1	0%
Boston, MA	42	2	6%	40	94%	42	100%	0	0%	0	0%	0	0%
New Bedford, MA	346	18	5%	328	95%	346	100%	0	0%	0	0%	0	0%
Point Judith, RI	15	0	0%	15	100%	15	99%	0	0%	0	0%	0	0%
MAINE	198	170	86%	28	14%	90	45%	107	54%	0	0%	1	0%
NEW HAMPSHIRE	34	33	98%	1	0%	13	40%	18	55%	0	0%	2	6%
MASSACHUSETTS	939	407	43%	532	57%	770	82%	125	13%	29	3%	15	2%
RHODE ISLAND	29	0	0%	29	100%	26	89%	3	11%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>1,200</b>	<b>610</b>	<b>51%</b>	<b>590</b>	<b>49%</b>	<b>900</b>	<b>75%</b>	<b>253</b>	<b>21%</b>	<b>29</b>	<b>2%</b>	<b>17</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 2.A. - Preliminary Haddock Landings by Stock Area**

	MAY - 2005		JUN - 2005		MAY 05 - APR 06		2005/2006*		2004/2005*		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	May05-Jun05 as a % of Target TAC	Target TAC* Metric Tons	May04-Jun04 as a % of Target TAC	Target TAC Metric Tons	
<b>GULF OF MAINE</b>	<b>11</b>	<b>2%</b>	<b>126</b>	<b>9%</b>	<b>138</b>	<b>7%</b>					
OTTER TRAWL	6	1%	117	9%	123	6%					
GILLNET	0	0%	9	1%	9	0%					
HOOK	5	1%	0	0%	5	0%					
OTHER GEARS	0	0%	1	0%	1	0%					
<b>GEORGES BANK</b>	<b>663</b>	<b>98%</b>	<b>1,237</b>	<b>91%</b>	<b>1,901</b>	<b>93%</b>	<b>15%</b>	<b>12,282</b>	<b>10%</b>	<b>14,955</b>	
OTTER TRAWL	648	96%	1,211	89%	1,859	91%	15%		10%		
GILLNET	0	0%	0	0%	0	0%	0%		0%		
HOOK	15	2%	27	2%	41	2%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	0%		0%		
<b>SNE/ MID-ATLANTIC</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>					
OTTER TRAWL	0	0%	0	0%	1	0%					
GILLNET	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
<b>ALL AREAS</b>	<b>675</b>	<b>100%</b>	<b>1,364</b>	<b>100%</b>	<b>2,039</b>	<b>100%</b>					
OTTER TRAWL	655	97%	1,328	97%	1,983	97%					
GILLNET	0	0%	9	1%	9	0%					
HOOK	20	3%	27	2%	46	2%					
OTHER GEARS	0	0%	1	0%	1	0%					
<b>LANDINGS - ALL AREAS</b>											
Fishing Year 2005/2006	675		1,364		2,039						
Fishing Year 2004/2005	464		1,126		1,590						7,826
Fishing Year 2003/2004	804		773		1,577						6,931
Fishing Year 2002/2003	718		817		1,535						7,347
Fishing Year 2001/2002	327		381		708						6,505
Fishing Year 2000/2001	265		356		621						4,763
Fishing Year 1999/2000	343		285		627						4,082
Fishing Year 1998/1999	153		207		361						2,726

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY04 is 27,692 metric tons (61,049 thousand lbs.)

**Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	130	6	4%	124	96%	0	0%	129	99%	1	0%	0	0%	0	0%
Gloucester, MA	296	47	16%	250	84%	0	0%	286	97%	5	2%	5	2%	0	0%
Boston, MA	47	1	3%	45	97%	0	0%	47	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,371	8	1%	1,363	99%	0	0%	1,371	100%	0	0%	0	0%	0	0%
Point Judith, RI	38	0	0%	38	100%	0	0%	38	100%	0	0%	0	0%	0	0%
MAINE	133	9	7%	124	93%	0	0%	130	98%	2	2%	0	0%	0	0%
NEW HAMPSHIRE	10	10	99%	0	0%	0	0%	9	89%	1	11%	0	0%	0	0%
MASSACHUSETTS	1,823	119	7%	1,703	93%	1	0%	1,770	97%	6	0%	46	3%	1	0%
RHODE ISLAND	73	0	0%	73	100%	0	0%	73	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>2,039</b>	<b>138</b>	<b>7%</b>	<b>1,901</b>	<b>93%</b>	<b>1</b>	<b>0%</b>	<b>1,983</b>	<b>97%</b>	<b>9</b>	<b>0%</b>	<b>46</b>	<b>2%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.

**Table 3.A. - Preliminary Yellowtail Landings by Stock Area**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		2005/2006*		2004/2005*		Fishing
							May05-Jun05 as a % of Target TAC	Target TAC*	May04-Jun04 as a % of Target TAC	Target TAC	Year*
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		Metric Tons		Metric Tons	Landings
<b>GULF OF MAINE</b>	<b>0</b>	<b>0%</b>	<b>3</b>	<b>1%</b>	<b>3</b>	<b>0%</b>					
OTTER TRAWL	0	0%	3	1%	3	0%					
GILLNET	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
<b>CAPE COD</b>	<b>9</b>	<b>2%</b>	<b>139</b>	<b>26%</b>	<b>148</b>	<b>15%</b>					
OTTER TRAWL	7	2%	134	25%	141	14%					
GILLNET	2	0%	6	1%	8	1%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%					
<b>GEORGES BANK</b>	<b>427</b>	<b>97%</b>	<b>367</b>	<b>68%</b>	<b>794</b>	<b>81%</b>	<b>19%</b>	<b>4,260</b>	<b>36%</b>	<b>6,000</b>	
OTTER TRAWL	427	97%	367	68%	794	81%	19%		36%		
GILLNET	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	0%		0%		
<b>SNE/ MID-ATLANTIC</b>	<b>5</b>	<b>1%</b>	<b>27</b>	<b>5%</b>	<b>33</b>	<b>3%</b>	<b>2%</b>	<b>1,982</b>	<b>5%</b>	<b>707</b>	
OTTER TRAWL	5	0	27	0	33	3%	2%		5%		
GILLNET	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	0%		0%		
<b>ALL AREAS</b>	<b>441</b>	<b>100%</b>	<b>537</b>	<b>100%</b>	<b>979</b>	<b>100%</b>					
OTTER TRAWL	439	100%	531	99%	971	99%					
GILLNET	2	0%	6	1%	8	1%					
HOOK	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	27	3%					
<b>LANDINGS - ALL AREAS</b>											
Fishing Year 2005/2006	441		537		979						
Fishing Year 2004/2005	700		1,455		2,155						6,522
Fishing Year 2003/2004	591		413		1,004						4,716
Fishing Year 2002/2003	616		525		1,141						5,341
Fishing Year 2001/2002	1,094		659		1,753						6,624
Fishing Year 2000/2001	857		530		1,386						7,253
Fishing Year 1999/2000	506		358		864						5,262
Fishing Year 1998/1999	317		195		512						4,341

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
Cape Cod: 514, 521  
Georges Bank: 522, 525, 542-543, 551-552, 561-562  
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY04 is 6,000 metric tons (13,227 thousand lbs.)

**Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	1	0	0%	0	0%	1	93%	0	0%	1	100%	0	0%	0	0%	0	0%
Gloucester, MA	65	2	3%	47	72%	16	24%	0	0%	61	94%	4	6%	0	0%	0	0%
Boston, MA	3	0	0%	0	0%	2	64%	1	0%	3	100%	0	0%	0	0%	0	0%
New Bedford, MA	782	0	0%	18	2%	737	94%	27	3%	782	100%	0	0%	0	0%	0	0%
Point Judith, RI	31	0	0%	0	0%	30	98%	1	0%	31	100%	0	0%	0	0%	0	0%
MAINE	1	0	0%	0	0%	1	78%	0	0%	1	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	3	1	31%	2	69%	0	0%	0	0%	3	100%	0	0%	0	0%	0	0%
MASSACHUSETTS	932	2	0%	146	16%	755	81%	29	3%	924	99%	8	1%	0	0%	0	0%
RHODE ISLAND	40	0	0%	0	0%	38	96%	2	4%	40	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	0	0%	0	0%	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	0	0%	0	0%	1	100%	1	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>979</b>	<b>3</b>	<b>0%</b>	<b>148</b>	<b>15%</b>	<b>794</b>	<b>81%</b>	<b>33</b>	<b>3%</b>	<b>971</b>	<b>99%</b>	<b>8</b>	<b>1%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
Cape Cod: 514, 521  
Georges Bank: 522, 525, 542-543, 551-552, 561-562  
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 4.A. - Preliminary Prorated White Hake Landings**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons
<b>SNE/ NORTH</b>	<b>199</b>	<b>99%</b>	<b>265</b>	<b>98%</b>	<b>464</b>	<b>99%</b>	
OTTER TRAWL	185	92%	175	65%	361	77%	
GILLNET	13	7%	90	33%	103	22%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>MID-ATLANTIC</b>	<b>1</b>	<b>1%</b>	<b>4</b>	<b>2%</b>	<b>6</b>	<b>1%</b>	
OTTER TRAWL	1	1%	0	0%	1	0%	
GILLNET	0	0%	4	2%	4	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>ALL AREAS</b>	<b>200</b>	<b>100%</b>	<b>270</b>	<b>100%</b>	<b>470</b>	<b>100%</b>	
OTTER TRAWL	186	93%	175	65%	362	77%	
GILLNET	13	7%	94	35%	108	23%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>LANDINGS - ALL AREAS</b>							
Fishing Year 2005/2006	200		270		470		
Fishing Year 2004/2005	229		337		566		3,163
Fishing Year 2003/2004	465		376		841		3,848
Fishing Year 2002/2003	173		228		401		3,486
Fishing Year 2001/2002	259		309		568		3,785
Fishing Year 2000/2001	294		296		590		3,144
Fishing Year 1999/2000	179		345		525		2,689
Fishing Year 1998/1999	101		257		358		2,565

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.  
\* Fishing Year is May 1 through April 30.

**Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	194	194	100%	0	0%	141	73%	52	27%	0	0%	0	0%
Gloucester, MA	138	138	100%	0	0%	130	94%	9	6%	0	0%	0	0%
Boston, MA	53	53	100%	0	0%	53	100%	0	0%	0	0%	0	0%
New Bedford, MA	15	15	100%	0	0%	15	100%	0	0%	0	0%	0	0%
Point Judith, RI	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MAINE	227	227	100%	0	0%	155	68%	72	32%	0	0%	0	0%
NEW HAMPSHIRE	25	25	100%	0	0%	2	8%	23	92%	0	0%	0	0%
MASSACHUSETTS	212	212	100%	0	0%	203	96%	9	4%	0	0%	0	0%
RHODE ISLAND	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	6	0	0%	6	100%	1	24%	4	76%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>470</b>	<b>464</b>	<b>99%</b>	<b>6</b>	<b>1%</b>	<b>362</b>	<b>77%</b>	<b>108</b>	<b>23%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.



**Table 5.A. - Preliminary Prorated American Plaice Landings**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons
<b>GULF OF MAINE/ GB</b>	<b>86</b>	<b>99%</b>	<b>170</b>	<b>100%</b>	<b>256</b>	<b>100%</b>	
OTTER TRAWL	86	99%	168	99%	254	99%	
GILLNET	0	0%	2	1%	2	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>SNE / MID-ATLANTIC</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>	
OTTER TRAWL	0	0%	0	0%	0	0%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	1	0%	
<b>ALL AREAS</b>	<b>87</b>	<b>100%</b>	<b>170</b>	<b>100%</b>	<b>257</b>	<b>100%</b>	
OTTER TRAWL	86	99%	168	99%	254	99%	
GILLNET	0	0%	2	1%	2	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	1	0%	
<b>LANDINGS - ALL AREAS</b>							
Fishing Year 2005/2006	87		170		257		
Fishing Year 2004/2005	59		205		264		1,656
Fishing Year 2003/2004	124		349		474		2,062
Fishing Year 2002/2003	214		302		515		2,829
Fishing Year 2001/2002	398		687		1,085		4,526
Fishing Year 2000/2001	344		609		953		4,513
Fishing Year 1999/2000	364		498		862		3,177
Fishing Year 1998/1999	645		441		1,086		3,532

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	34	34	100%	0	0%	34	99%	0	0%	0	0%	0	0%
Gloucester, MA	69	69	100%	0	0%	68	99%	1	0%	0	0%	0	0%
Boston, MA	13	13	100%	0	0%	13	100%	0	0%	0	0%	0	0%
New Bedford, MA	104	104	100%	0	0%	104	100%	0	0%	0	0%	0	0%
Point Judith, RI	4	4	100%	0	0%	4	100%	0	0%	0	0%	0	0%
MAINE	49	49	100%	0	0%	49	99%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	4	4	100%	0	0%	3	86%	0	0%	0	0%	0	0%
MASSACHUSETTS	197	197	100%	0	0%	196	99%	1	1%	0	0%	0	0%
RHODE ISLAND	7	7	100%	0	0%	7	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	0	0%	0	0%	0	0%	1	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>257</b>	<b>256</b>	<b>100%</b>	<b>1</b>	<b>0%</b>	<b>254</b>	<b>99%</b>	<b>2</b>	<b>1%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.

**Table 6.A. - Preliminary Prorated Winter Flounder Landings**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons
<b>GULF OF MAINE</b>	<b>14</b>	<b>4%</b>	<b>59</b>	<b>7%</b>	<b>73</b>	<b>6%</b>	
OTTER TRAWL	13	4%	54	6%	67	5%	
GILLNET	0	0%	5	1%	5	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>GEORGES BANK</b>	<b>184</b>	<b>56%</b>	<b>771</b>	<b>86%</b>	<b>955</b>	<b>78%</b>	
OTTER TRAWL	184	56%	771	86%	955	78%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>131</b>	<b>40%</b>	<b>69</b>	<b>8%</b>	<b>201</b>	<b>16%</b>	
OTTER TRAWL	127	39%	68	8%	195	16%	
GILLNET	4	1%	1	0%	5	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	1	0%	
<b>ALL AREAS</b>	<b>329</b>	<b>100%</b>	<b>899</b>	<b>100%</b>	<b>1,228</b>	<b>100%</b>	
OTTER TRAWL	324	98%	893	99%	1,217	99%	
GILLNET	4	1%	6	1%	10	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	1	0%	
<b>LANDINGS - ALL AREAS</b>							
Fishing Year 2005/2006	329		899		1,228		
Fishing Year 2004/2005	675		668		1,343		4,481
Fishing Year 2003/2004	841		784		1,625		5,448
Fishing Year 2002/2003	741		835		1,576		5,417
Fishing Year 2001/2002	751		873		1,624		6,977
Fishing Year 2000/2001	684		658		1,343		6,258
Fishing Year 1999/2000	535		475		1,010		4,702
Fishing Year 1998/1999	592		567		1,159		5,118

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	6	1	0%	5	84%	0	0%	6	100%	0	0%	0	0%	0	0%
Gloucester, MA	50	15	29%	32	64%	3	7%	45	89%	5	11%	0	0%	0	0%
Boston, MA	17	0	0%	7	41%	10	59%	17	100%	0	0%	0	0%	0	0%
New Bedford, MA	918	3	0%	899	98%	17	2%	918	100%	0	0%	0	0%	0	0%
Point Judith, RI	79	0	0%	6	7%	74	93%	79	99%	0	0%	0	0%	0	0%
MAINE	6	1	0%	5	83%	0	0%	6	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	0	0%	0	0%	0	0%	1	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	1,052	71	7%	938	89%	43	4%	1,042	99%	8	1%	0	0%	1	0%
RHODE ISLAND	88	0	0%	12	14%	76	86%	87	99%	1	1%	0	0%	0	0%
CONNECTICUT	30	0	0%	0	0%	30	100%	30	100%	0	0%	0	0%	0	0%
NEW YORK	28	0	0%	0	0%	28	100%	28	99%	0	0%	0	0%	0	0%
NEW JERSEY	24	0	0%	0	0%	24	100%	24	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>1,228</b>	<b>73</b>	<b>6%</b>	<b>955</b>	<b>78%</b>	<b>201</b>	<b>16%</b>	<b>1,217</b>	<b>99%</b>	<b>10</b>	<b>1%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 7.A. - Preliminary Prorated Witch Flounder Landings**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons
<b>GULF OF MAINE/ GB</b>	<b>180</b>	<b>96%</b>	<b>309</b>	<b>98%</b>	<b>489</b>	<b>97%</b>	
OTTER TRAWL	180	96%	304	97%	484	96%	
GILLNET	0	0%	4	1%	4	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>8</b>	<b>4%</b>	<b>6</b>	<b>2%</b>	<b>14</b>	<b>3%</b>	
OTTER TRAWL	8	4%	6	2%	14	3%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>ALL AREAS</b>	<b>188</b>	<b>100%</b>	<b>315</b>	<b>100%</b>	<b>503</b>	<b>100%</b>	
OTTER TRAWL	188	100%	310	98%	498	99%	
GILLNET	0	0%	5	1%	5	1%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>LANDINGS - ALL AREAS</b>							
Fishing Year 2005/2006	188		315		503		
Fishing Year 2004/2005	129		337		466		2,888
Fishing Year 2003/2004	211		421		633		3,066
Fishing Year 2002/2003	164		321		485		2,798
Fishing Year 2001/2002	224		413		638		3,287
Fishing Year 2000/2001	181		337		518		2,695
Fishing Year 1999/2000	210		337		547		2,221
Fishing Year 1998/1999	232		248		480		1,836

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.  
\* Fishing Year is May 1 through April 30.

**Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	101	101	100%	0	0%	101	100%	0	0%	0	0%	0	0%
Gloucester, MA	130	130	100%	0	0%	127	98%	3	2%	0	0%	0	0%
Boston, MA	46	46	100%	0	0%	46	100%	0	0%	0	0%	0	0%
New Bedford, MA	112	112	100%	0	0%	112	100%	0	0%	0	0%	0	0%
Point Judith, RI	14	13	94%	1	0%	14	99%	0	0%	0	0%	0	0%
MAINE	140	140	100%	0	0%	140	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	3	3	100%	0	0%	3	85%	1	0%	0	0%	0	0%
MASSACHUSETTS	327	327	100%	0	0%	323	99%	4	1%	0	0%	0	0%
RHODE ISLAND	23	18	80%	5	20%	23	99%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	100%	1	100%	0	0%	0	0%	0	0%
NEW JERSEY	8	0	0%	8	100%	8	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>503</b>	<b>489</b>	<b>97%</b>	<b>14</b>	<b>3%</b>	<b>498</b>	<b>99%</b>	<b>5</b>	<b>1%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 8.A. - Preliminary Prorated Windowpane Flounder Landings**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons
<b>GULF OF MAINE/ GB</b>	<b>2</b>	<b>21%</b>	<b>1</b>	<b>0%</b>	<b>3</b>	<b>24%</b>	
OTTER TRAWL	2	20%	1	0%	3	23%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>8</b>	<b>79%</b>	<b>2</b>	<b>62%</b>	<b>10</b>	<b>76%</b>	
OTTER TRAWL	8	78%	1	59%	10	75%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>ALL AREAS</b>	<b>11</b>	<b>100%</b>	<b>2</b>	<b>100%</b>	<b>13</b>	<b>100%</b>	
OTTER TRAWL	10	99%	2	94%	13	98%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>LANDINGS - ALL AREAS</b>							
Fishing Year 2005/2006	11		2		13		
Fishing Year 2004/2005	6		2		8		78
Fishing Year 2003/2004	9		<1		9		62
Fishing Year 2002/2003	8		3		12		61
Fishing Year 2001/2002	5		3		8		118
Fishing Year 2000/2001	31		6		37		195
Fishing Year 1999/2000	9		5		13		272
Fishing Year 1998/1999	24		15		39		278

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	3	3	99%	0	0%	3	100%	0	0%	0	0%	0	0%
Point Judith, RI	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	3	3	99%	0	0%	3	97%	0	0%	0	0%	0	0%
RHODE ISLAND	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	3	0	0%	3	100%	3	95%	0	0%	0	0%	0	0%
NEW JERSEY	6	0	0%	6	100%	6	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>13</b>	<b>3</b>	<b>24%</b>	<b>10</b>	<b>76%</b>	<b>13</b>	<b>98%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.



Table 9 - Preliminary Multispecies Landings\*\*

		MAY - 2005		JUN - 2005		MAY 05 - JUN 05		2005/2006*		2004/2005*		Fishing Year*
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	May05-Jun05 as a % of Target TAC	Target TAC	May04-Jun04 as a % of Target TAC	Target TAC	Metric Tons
									Metric Tons		Metric Tons	
ATLANTIC POLLOCK	2005/2006	339	29%	458	21%	797	24%	2%				
	2004/2005	309	22%	465	23%	774	22%			2%		
	2003/2004	256	13%	397	17%	653	15%					
	2002/2003	194	13%	238	12%	431	12%					
	2001/ 2002	209	11%	413	15%	621	13%					
	2000/ 2001	286	15%	432	18%	718	17%					
REDFISH	2005/2006	35	3%	41	2%	76	2%	0%		0%		
	2004/2005	15	1%	19	1%	34	1%					
	2003/2004	28	1%	29	1%	57	1%					
	2002/2003	28	2%	28	1%	56	2%					
	2001/ 2002	36	2%	46	2%	81	2%					
	2000/ 2001	46	2%	30	1%	76	2%					
WHITE HAKE	2005/2006	200	17%	270	13%	470	14%	1%				
	2004/2005	229	16%	337	17%	566	16%			1%		
	2003/2004	465	24%	376	16%	841	20%					
	2002/2003	173	11%	228	12%	401	12%					
	2001/ 2002	259	14%	309	11%	568	12%					
	2000/ 2001	294	16%	296	12%	590	14%					
AMERICAN PLAICE	2005/2006	87	7%	170	8%	257	8%	1%				
	2004/2005	59	4%	205	10%	264	8%			1%		
	2003/2004	124	6%	349	15%	474	11%					
	2002/2003	214	14%	302	15%	515	15%					
	2001/ 2002	398	21%	687	25%	1,085	23%					
	2000/ 2001	344	18%	609	26%	953	23%					
WINTER FLOUNDER	2005/2006	329	28%	899	42%	1,228	37%	3%				
	2004/2005	675	47%	668	33%	1,343	39%			4%		
	2003/2004	841	43%	784	33%	1,625	38%					
	2002/2003	741	49%	835	43%	1,576	45%					
	2001/ 2002	751	40%	873	32%	1,624	35%					
	2000/ 2001	684	37%	658	28%	1,343	32%					
WITCH FLOUNDER	2005/2006	188	16%	315	15%	503	15%	1%				
	2004/2005	129	9%	337	17%	466	13%			1%		
	2003/2004	211	11%	421	18%	633	15%					
	2002/2003	164	11%	321	16%	485	14%					
	2001/ 2002	224	12%	413	15%	638	14%					
	2000/ 2001	181	10%	337	14%	518	12%					
WINDOWPANE FLDR	2005/2006	11	1%	2	0%	13	0%	0%				
	2004/2005	6	0%	2	0%	8	0%			0%		
	2003/2004	9	0%	0	0%	9	0%					
	2002/2003	8	1%	3	0%	12	0%					
	2001/ 2002	5	0%	3	0%	8	0%					
	2000/ 2001	31	2%	6	0%	37	1%					
ALL 7 SPECIES - TOTAL		2005/ 2006	1,189	100%	2,156	100%	3,345	100%	9%	36,739		
	2004/ 2005	1,422	100%	2,032	100%	3,454	100%			10%	34,889	18,207
	2003/ 2004	1,934	100%	2,358	100%	4,292	100%					19,197
	2002/ 2003	1,522	100%	1,954	100%	3,476	100%					18,623
	2001/ 2002	1,882	100%	2,744	100%	4,626	100%					23,666
	2000/ 2001	1,866	100%	2,368	100%	4,235	100%					20,989

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 10.A. - Preliminary Silver Hake Landings by Stock Area**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons
<b>GULF OF MAINE</b>	<b>36</b>	<b>6%</b>	<b>38</b>	<b>5%</b>	<b>74</b>	<b>5%</b>	
OTTER TRAWL	20	3%	14	2%	34	2%	
GILLNET	16	3%	23	3%	40	3%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>579</b>	<b>94%</b>	<b>752</b>	<b>95%</b>	<b>1,331</b>	<b>95%</b>	
OTTER TRAWL	579	94%	752	95%	1,331	95%	
GILLNET	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>ALL AREAS</b>	<b>616</b>	<b>100%</b>	<b>790</b>	<b>100%</b>	<b>1,405</b>	<b>100%</b>	
OTTER TRAWL	599	97%	766	97%	1,365	97%	
GILLNET	16	3%	23	3%	40	3%	
HOOK	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	
<b>LANDINGS - ALL AREAS</b>							
Fishing Year 2005/2006	616		790		1,405		
Fishing Year 2004/2005	600		716		1,316		6,776
Fishing Year 2003/2004	580		326		906		7,828
Fishing Year 2002/2003	814		616		1,431		7,140
Fishing Year 2001/2002	1,217		1,246		2,463		11,151
Fishing Year 2000/2001	927		978		1,905		12,410
Fishing Year 1999/2000	1,478		1,222		2,701		13,175
Fishing Year 1998/1999	1,256		1,521		2,777		15,108

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	66	54	81%	12	19%	26	40%	40	60%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	543	19	3%	524	97%	543	100%	0	0%	0	0%	0	0%
Point Judith, RI	355	0	0%	355	100%	355	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	609	73	12%	536	88%	569	93%	40	7%	0	0%	0	0%
RHODE ISLAND	357	1	0%	355	100%	357	100%	0	0%	0	0%	0	0%
CONNECTICUT	151	0	0%	151	100%	151	100%	0	0%	0	0%	0	0%
NEW YORK	253	0	0%	253	100%	253	100%	0	0%	0	0%	0	0%
NEW JERSEY	36	0	0%	36	100%	36	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>1,405</b>	<b>74</b>	<b>5%</b>	<b>1,331</b>	<b>95%</b>	<b>1,365</b>	<b>97%</b>	<b>40</b>	<b>3%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 11.A. - Preliminary Monkfish Landings by Stock Area**

	MAY - 2005		JUN - 2005		MAY 05 - JUN 05		2005/2006*		2004/2005*		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	May05-Jun05 as a % of Target TAC	Target TAC Metric Tons	May04-Jun04 as a % of Target TAC	Target TAC Metric Tons	Metric Tons
<b>NORTHERN</b>	<b>580</b>	<b>28%</b>	<b>1,132</b>	<b>39%</b>	<b>1,711</b>	<b>34%</b>	<b>13%</b>	<b>13,160</b>	<b>10%</b>	<b>16,968</b>	
OTTER TRAWL	524	26%	800	27%	1,324	27%	10%		6%		
GILLNET	54	3%	328	11%	382	8%	3%		4%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	2	0%	3	0%	5	0%	0%		0%		
<b>SOUTHERN</b>	<b>1,458</b>	<b>72%</b>	<b>1,802</b>	<b>61%</b>	<b>3,259</b>	<b>66%</b>	<b>34%</b>	<b>9,673</b>	<b>31%</b>	<b>6,772</b>	
OTTER TRAWL	134	7%	103	4%	237	5%	2%		4%		
GILLNET	1,227	60%	1,532	52%	2,759	56%	29%		24%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	96	5%	167	6%	263	5%	3%		3%		
<b>ALL AREAS</b>	<b>2,037</b>	<b>100%</b>	<b>2,934</b>	<b>100%</b>	<b>4,971</b>	<b>100%</b>	<b>22%</b>	<b>22,833</b>	<b>16%</b>	<b>23,740</b>	
OTTER TRAWL	658	32%	903	31%	1,561	31%	7%		5%		
GILLNET	1,282	63%	1,860	63%	3,142	63%	14%		10%		
HOOK	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	98	5%	170	6%	268	5%	1%		1%		
<b>LANDINGS - ALL AREAS</b>											
Fishing Year 2005/2006	2,037		2,934		4,971						
Fishing Year 2004/2005	1,754		1,950		3,704						17,745
Fishing Year 2003/2004	2,685		2,399		5,084						24,016
Fishing Year 2002/2003	1,574		2,093		3,667						21,807
Fishing Year 2001/2002	2,041		2,456		4,498						25,922
Fishing Year 2000/2001	1,643		1,785		3,428						19,819
Fishing Year 1999/2000	3,318		2,905		6,223						24,031
Fishing Year 1998/1999	3,349		2,728		6,077						26,983

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.  
\* Fishing Year is May 1 through April 30.

**Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 05 - Jun 05**

PORT/ STATE	MAY 05 - JUN 05	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	383	381	100%	1	0%	365	95%	18	5%	0	0%	0	0%
Gloucester, MA	456	445	98%	11	2%	214	47%	242	53%	0	0%	0	0%
Boston, MA	274	274	100%	1	0%	274	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,047	362	35%	686	65%	492	47%	369	35%	0	0%	186	18%
Point Judith, RI	435	3	1%	432	99%	21	5%	411	94%	0	0%	3	1%
MAINE	476	468	98%	7	2%	445	93%	31	7%	0	0%	0	0%
NEW HAMPSHIRE	64	64	100%	0	0%	4	6%	61	94%	0	0%	0	0%
MASSACHUSETTS	2,135	1,151	54%	983	46%	1,025	48%	919	43%	0	0%	190	9%
RHODE ISLAND	787	22	3%	766	97%	43	5%	741	94%	0	0%	4	0%
CONNECTICUT	61	2	3%	59	97%	4	7%	51	83%	0	0%	6	10%
NEW YORK	338	4	1%	335	99%	18	5%	319	94%	0	0%	1	0%
NEW JERSEY	710	0	0%	710	100%	11	2%	648	91%	0	0%	51	7%
OTHER NORTHEAST	400	0	0%	399	100%	11	3%	373	93%	0	0%	15	4%
<b>TOTAL</b>	<b>4,971</b>	<b>1,711</b>	<b>34%</b>	<b>3,259</b>	<b>66%</b>	<b>1,561</b>	<b>31%</b>	<b>3,142</b>	<b>63%</b>	<b>0</b>	<b>0%</b>	<b>268</b>	<b>5%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 12.A. - Preliminary Sea Scallop Landings by Stock Area**

	APR - 2005		MAY - 2005		JUN - 2005		MAR 05 - JUN 05		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons
<b>GULF OF MAINE</b>	<b>35</b>	<b>1%</b>	<b>50</b>	<b>1%</b>	<b>36</b>	<b>1%</b>	<b>142</b>	<b>1%</b>	
OTTER TRAWL	4	0%	0	0%	0	0%	6	0%	
DREDGE	31	1%	50	1%	35	1%	136	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>SOUTH CHANNEL</b>	<b>217</b>	<b>8%</b>	<b>142</b>	<b>4%</b>	<b>138</b>	<b>4%</b>	<b>688</b>	<b>6%</b>	
OTTER TRAWL	0	0%	0	0%	11	0%	12	0%	
DREDGE	217	8%	141	4%	127	4%	676	6%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>GEORGES BANK NORTH</b>	<b>6</b>	<b>0%</b>	<b>26</b>	<b>1%</b>	<b>118</b>	<b>4%</b>	<b>151</b>	<b>1%</b>	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	
DREDGE	6	0%	26	1%	117	4%	150	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>GEORGES BANK SOUTH</b>	<b>55</b>	<b>2%</b>	<b>42</b>	<b>1%</b>	<b>145</b>	<b>4%</b>	<b>285</b>	<b>3%</b>	
OTTER TRAWL	2	0%	1	0%	0	0%	4	0%	
DREDGE	53	2%	42	1%	145	4%	282	3%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>S. NEW ENGLAND</b>	<b>48</b>	<b>2%</b>	<b>62</b>	<b>2%</b>	<b>45</b>	<b>1%</b>	<b>181</b>	<b>2%</b>	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	
DREDGE	48	2%	61	2%	44	1%	180	2%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>NEW YORK BIGHT</b>	<b>1,737</b>	<b>68%</b>	<b>2,546</b>	<b>73%</b>	<b>2,009</b>	<b>61%</b>	<b>7,265</b>	<b>65%</b>	
OTTER TRAWL	30	1%	59	2%	80	2%	175	2%	
DREDGE	1,707	67%	2,487	72%	1,924	58%	7,086	64%	
OTHER GEARS	0	0%	0	0%	5	0%	5	0%	
<b>DE / MD / VA</b>	<b>461</b>	<b>18%</b>	<b>598</b>	<b>17%</b>	<b>814</b>	<b>25%</b>	<b>2,360</b>	<b>21%</b>	
OTTER TRAWL	18	1%	80	2%	259	8%	364	3%	
DREDGE	443	17%	517	15%	555	17%	1,995	18%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>VA / NC</b>	<b>3</b>	<b>0%</b>	<b>4</b>	<b>0%</b>	<b>16</b>	<b>0%</b>	<b>23</b>	<b>0%</b>	
OTTER TRAWL	0	0%	3	0%	16	0%	20	0%	
DREDGE	3	0%	0	0%	0	0%	3	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>ALL AREAS</b>	<b>2,563</b>	<b>100%</b>	<b>3,470</b>	<b>100%</b>	<b>3,320</b>	<b>100%</b>	<b>11,096</b>	<b>100%</b>	
OTTER TRAWL	55	2%	144	4%	368	11%	582	5%	
DREDGE	2,508	98%	3,325	96%	2,947	89%	10,508	95%	
OTHER GEARS	0	0%	0	0%	5	0%	5	0%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2005/2006	2,563		3,470		3,320		11,096		
Fishing Year 2004/2005	2,868		3,854		3,791		12,740		28,910
Fishing Year 2003/2004	2,153		3,315		3,413		10,657		25,497
Fishing Year 2002/2003	2,450		2,800		3,061		9,847		23,466
Fishing Year 2001/2002	2,212		2,831		2,568		8,841		21,548
Fishing Year 2000/2001	1,413		2,149		1,852		6,434		15,562
Fishing Year 1999/2000	926		1,278		1,481		4,358		10,234

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526  
 Georges Bank North: 561-562; Georges Bank South: 525  
 Southern New England: 537-539; New York Bight: 611-616  
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is March 1 through February 29.

**Table 12.B. - Preliminary Scallop Landings by Major Ports and States, Mar 05 - Jun 05**

PORT/ STATE	MAR 05 - JUN 05	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	4,944	39	1%	505	10%	111	2%	271	5%	78	2%	3,558	72%	381	8%	0	0%
Cape May, NJ	1,770	0	0%	10	1%	12	1%	0	0%	0	0%	1,207	68%	541	31%	0	0%
Norfolk, VA	2,342	0	0%	21	1%	13	1%	14	1%	0	0%	1,237	53%	1,053	45%	3	0%
MAINE	1	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	5,203	134	3%	652	13%	111	2%	271	5%	95	2%	3,558	68%	381	7%	0	0%
RHODE ISLAND	90	7	8%	5	5%	14	15%	0	0%	23	25%	42	47%	0	0%	0	0%
CONNECTICUT	189	0	0%	0	0%	0	0%	0	0%	14	7%	170	90%	4	2%	0	0%
NEW JERSEY	2,710	0	0%	10	0%	12	0%	0	0%	0	0%	2,084	77%	604	22%	0	0%
VIRGINIA	2,616	0	0%	21	1%	13	1%	14	1%	0	0%	1,278	49%	1,267	48%	23	1%
OTHER NORTHEAST	285	0	0%	0	0%	0	0%	0	0%	49	17%	133	47%	103	36%	0	0%
<b>TOTAL</b>	<b>11,096</b>	<b>142</b>	<b>1%</b>	<b>688</b>	<b>6%</b>	<b>151</b>	<b>1%</b>	<b>285</b>	<b>3%</b>	<b>181</b>	<b>2%</b>	<b>7,265</b>	<b>65%</b>	<b>2,360</b>	<b>21%</b>	<b>23</b>	<b>0%</b>

PORT/ STATE	MAR 04 - FEB 05	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	4,944	52	1%	4,891	99%	0	0%
Cape May, NJ	1,770	231	13%	1,538	87%	0	0%
Norfolk, VA	2,342	13	1%	2,329	99%	0	0%
MAINE	1	0	0%	1	0%	0	0%
NEW HAMPSHIRE	1	0	0%	1	100%	0	0%
MASSACHUSETTS	5,203	59	1%	5,144	99%	0	0%
RHODE ISLAND	90	1	0%	85	94%	5	5%
CONNECTICUT	189	0	0%	188	100%	0	0%
NEW JERSEY	2,710	233	9%	2,476	91%	0	0%
VIRGINIA	2,616	223	9%	2,393	91%	0	0%
OTHER NORTHEAST	285	66	23%	219	77%	0	0%
<b>TOTAL</b>	<b>11,096</b>	<b>582</b>	<b>5%</b>	<b>10,508</b>	<b>95%</b>	<b>5</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

